

Pattanchai Chemical co;Ltd

55 Moo8 Buddhamonton Sai5 Road Bangkratuек Sampan Nakornpratom 73210

Tel.662-889-5756, 662-889-5983 Fax. 662-889-4208

Material safety data Sheet

1. General Data

Product Name : Dog x-66 Adhesives

Purpose of Use : Glueing Leather, Wood, formica,Laminated plastic sheets etc.

Manufactured/ Distributed by : Pattanachai Chemical co;Ltd

55 Moo8 Buddhamonton Sai5 Road

Bangkratuек Sampan Nakornpratom 73210

Telephone number : 662-889-5756, 662-889-5983

Fax Number :662-889-4208

2. Composition and Information on Ingredients

Ingredients

<i>Raw Materials</i>	<i>Cas Number</i>	<i>%</i>
Toluene	108-88-3	>70
Solvent Naphtha (petroleum)	64742-89-8	<10
Petro Resin	N/A	>15

3.Hazards Identification

Human Health hazards: Evaporating may cause dizziness, Irritaing to eyes and skin. If serious, it may cause headache and/or vomiting

4.first Aid measures

Inhalation : If inhaled, remove to fresh air.If not better, bring to see doctors immediately.

Skin Contact : In case of skin contact , immediately flush skin with plenty of water and soap.

Ingestion: do not induce vomiting; immediately bring to see doctor.

5. fire –Fighting measures.

Extinguishing Media : Use foam or all purpose dry chemicals to extinguish.

6. Accidental spilled from Containers

- Keep spilled containers away and place in an appropriate area.

7. Handling and storage

- Keep and use product in well-ventilation area.
- Keep container tightly closed
- Keep in a cool and dry area

8. Exposure Controls and personal protection.

Standard Safety score

LD 50: mouth	: >2000/mg/kg
Skin	: >2000mg/kg
Inhalation	: LC50>5mg/l

Protective Equipment :

- Avoid direct contact to skin.
- Using proper tools and utensils when painting.
- Using products in the well-ventilation area.
- Using protective glasses when spraying.

9. Physical and Chemical Properties.

Appearance : Liquid, yellow color
Smell: Mainly content Aromatic
PH: Not applicable

10. stability and Reactivity

Stability : The product is stable (proper use)
Evaporating : Evaporated in the air

11. Toxicological information

Skin Contact : Moderately irritating to the skin.
: low-toxic : LD 50> 2000 mg/kg, rats
Inhalation : low-toxic : LD 50> 20mg / ¼ / hours, rats

12. Ecological Information.

-Waste can be disposed.

13. Disposal consideration

Waste Handling and Disposal : Products should be all used up.
: Product containers must not be refilled with
other products.

14. Transport Information.

-Proper shipping name : Not regulated.

15. Regulatory Information.

EC Safety Phrases : S9-keep in a well-ventilation area.
S16 keep away from open- fire , non-smoking area.

16. Other Information.

The information contained herein is accurate and special for Neoprene Spraying only. However this is not related with any other products.
