

## Pattanchai Chemical co;Ltd

55 Moo8 Buddhamonton Sai5 Road Bangkratuек Sampan Nakompratom 73210

Tel.662-889-5756, 662-889-5983 Fax. 662-889-4208

### Material safety data Sheet

#### 1. General Data

Product Name : Dog x-66 Adhesives

Purpose of Use : Glueing Leather, Wood, formica,Laminated plastic sheets etc.

Manufactured/ Distributed by : Pattanachai Chemical co;Ltd

55 Moo8 Buddhamonton Sai5 Road

Bangkratuек Sampan Nakornpratom 73210

Telephone number : 662-889-5756, 662-889-5983

Fax Number :662-889-4208

#### 2. Composition and Information on Ingredients

##### Ingredients

<i>Raw Materials</i>	<i>Cas Number</i>	<i>%</i>
Toluene	108-88-3	>70
Solvent Naphtha (petroleum)	64742-89-8	<10
Petro Resin	N/A	>15

#### 3.Hazards Identification

Human Health hazards: Evaporating may cause dizziness, Irritaing to eyes and skin. If serious, it may cause headache and/or vomiting

#### 4.first Aid measures

Inhalation : If inhaled, remove to fresh air.If not better, bring to see doctors immediately.

Skin Contact : In case of skin contact , immediately flush skin with plenty of water and soap.

Ingestion: do not induce vomiting; immediately bring to see doctor.

#### 5. fire –Fighting measures.

Extinguishing Media : Use foam or all purpose dry chemicals to extinguish.

#### 6. Accidental spilled from Containers

- Keep spilled containers away and place in an appropriate area.

#### 7. Handling and storage

- Keep and use product in well-ventilation area.
- Keep container tightly closed
- Keep in a cool and dry area

#### 8. Exposure Controls and personal protection.

##### Standard Safety score

LD 50: mouth	: >2000/mg/kg
Skin	: >2000mg/kg
Inhalation	: LC50>5mg/l

##### Protective Equipment :

- Avoid direct contact to skin.
- Using proper tools and utensils when painting.
- Using products in the well-ventilation area.
- Using protective glasses when spraying.

**9. Physical and Chemical Properties.**

Appearance : Liquid, yellow color  
Smell: Mainly content Aromatic  
PH: Not applicable

**10. stability and Reactivity**

Stability : The product is stable (proper use)  
Evaporating : Evaporated in the air

**11. Toxicological information**

Skin Contact : Moderately irritating to the skin.  
: low-toxic : LD 50> 2000 mg/kg, rats  
Inhalation : low-toxic : LD 50> 20mg / ¼ / hours, rats

**12. Ecological Information.**

-Waste can be disposed.

**13. Disposal consideration**

Waste Handling and Disposal : Products should be all used up.  
: Product containers must not be refilled with  
other products.

**14. Transport Information.**

-Proper shipping name : Not regulated.

**15. Regulatory Information.**

EC Safety Phrases : S9-keep in a well-ventilation area.  
S16 keep away from open- fire , non-smoking area.

**16. Other Information.**

The information contained herein is accurate and special for Neoprene Spraying only. However this is not related with any other products.

---